

## INDIAN SCHOOL DARSAIT



## **DEPARTMENT OF CHEMISTRY**

| Subj | ect: Chemistry  | Горіс :                             | AMINES  | Date of Worksheet: 15.10.2 | 2017           |
|------|---|-------------------------------------|---|----------------------------|----------------|
| Resc | ource Person: SREEKALA M  |                                     |   | Date of Submission:        |                |
| Nam  | e of the Student:   |                                     | Class &Division: XII  | Roll Number:               | _              |
| 1.   | Write the IUPAC name of i) CH <sub>3</sub> - N - C- CH <sub>3</sub> I II  C <sub>2</sub> H <sub>5</sub> O  iv) CH <sub>3</sub> NHCH(CH <sub>3</sub> ) <sub>2</sub>  | ii) CH <sub>3</sub>                 | a-C(CH <sub>3</sub> ) <sub>2</sub> iii) C <sub>6</sub> H <sub>5</sub> NHC<br> <br>  NH <sub>2</sub> | COCH <sub>3</sub>          | 1 mark<br>each |
| 2.   | Rearrange the following com<br>Aniline, p-nitroaniline and p-   |                                     |   | basic strengths            | 1              |
| 3.   | Predict, giving reasons, the or i)gaseous phase and ii) aque i) (CH <sub>3</sub> ) <sub>3</sub> N ,(CH <sub>3</sub> ) <sub>2</sub> N ii) C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> , (C <sub>2</sub> H <sub>5</sub> ) | ous solut<br>NH, CH3                | tion.   | oounds in                  | 2              |
| 4.   | Write one chemical reaction of i)Gabriel pthalimide synthesity) Gatterman reaction  | s ii) Hofr                          | mann's bromamide reaction i   | ,                          | 1mark<br>each  |
| 5.   | State distinguishing tests for i)Ethylamine and aniline iii) Aniline and benzylamine iv) N-Methyl methanamine a   | ii                                  | ) Methylamine and dimethyl  | amine.                     | 1 mark<br>each |
| 6.   | Show the mechanism of acety formed.   | ylation of                          | f ethanamine and write the IU   | UPAC name of the product   | 2              |
| 7.   | Explain the following giving i) Alkylamine is more basic t ii) Aromatic amines weaker t iii)Primary amines have high iv)Aniline does not undergo l  | han amm<br>bases than<br>er boiling | nonia<br>n aliphatic amines.<br>g points than tertiary amine.                                       |                            | 1mark<br>each. |

|     | v)Although –NH <sub>2</sub> group is an ortho and para directing, nitration of aniline gives along with ortho and para derivatives, meta derivatives also. vi) The presence of a base is needed in the ammonolysis of alkylhalides. vii)Aromatic primary amines cannot be prepared by Gabriel phthalimide synthesis. viii)Diazonium salts of aromatic amines are more stable than those of aliphatic amines. ix) Ethylamine is soluble in water whereas aniline is almost insoluble. x)Methylamine is more basic than aniline. xi) Methylamine in water reacts with ferric chloride to precipitate hydrated ferric oxide. |   |                |  |  |
|-----|---|---|----------------|--|--|
| 8.  | a)How can you convert an amide into an amine having one carbon less than the starting compound? b)Name the reaction. c) Give the IUPAC name and structure of the amine obtained by the above method if the amide is 3-chlorobutanamide.   |   |                |  |  |
| 9.  | How are the following conversions carried out:  i)Aniline to Iodobenzene ii) Ethyl nitrile to Ethyl amide iii) Benzene diazoniumchloride to benzonitrile iv) Aniline to chlorobenzene v) Ethanoic acid to methanamine vi) Aniline to phenol. vii)Aniline to fluorobenzene viii) Benzene diazonium chloride to benzene   | ix) Methylchloride to ethylamine. x)Aniline to nitrobenzene xi) Ethanamine to N- ethylethanamide xii)Chloroethane to propanamine xiii)Aniline to Benzoic acid. xiv) Acetyl chloride to methyl cyanide. xv)Ethylamide to methylamine. xvi)Acetaldehyde to ethylamine | 1 mark<br>each |  |  |
| 10. | An optically inactive compound A having molecular formula C <sub>4</sub> H <sub>11</sub> N on treatment with HNO <sub>2</sub> gave an alcohol (B). B on heating at 440K gave an alkene (C). C on treatment with HBr gave an optically active compound(D) having the molecular formula C <sub>4</sub> H <sub>9</sub> Br. Identify A, B, C and D and write their structural formula and also write the equations involved.  |   |                |  |  |
| 11. | An organic compound A having the molecular formula C <sub>2</sub> H <sub>3</sub> N on reduction gave another compound B. Upon treatment with nitrous acid, B gave ethyl alcohol ad on warming with chloroform and alcoholic KOH, if formed an offensive smelling compound C. Identify A, B and C. Write the equations involved.   |   |                |  |  |